

CRUCIFERS

CRUCIFERS (Cabbage, Cauliflower, Broccoli)



GROWTH STAGES	Seedbed		Trans-planting	Vegetative				Heading to Head Development	
	1-15 DAS	16-25 DAS	1-7 DAT	8-14 DAT	15-21 DAT	22-28 DAT	29-35 DAT	36-42 DAT	43-49 DAT
INSECTS	Cutworms / Armyworms								
					Diamond-back Moths				
			Webworms						
				Cabbage Worms					
					Leafminers				
RECOMMENDED INSECTICIDES USE RATE/16L water tank load	SUMICIDIN 5 - 8 Tbsp		Padan 1.5 - 2 Tbsp	SUCCESS[®] NATURALYTE 2.5 - 5.0 Tbsp	Padan 1.5 - 2 Tbsp	SUCCESS[®] NATURALYTE 2.5 - 5.0 Tbsp	Padan 1.5 - 2 Tbsp		
DISEASES	Seedling Diseases				Downy Mildew				
					Alternaria Leaf Spot				
RECOMMENDED FUNGICIDES USE RATE/16L water tank load	4-8 Tbsp CAPTAN 50 WP		3-6 Tbsp VONDOZEB PLUS						

INSECTS



CUTWORMS



ARMYWORMS



DIAMOND-BACK MOTHS



WEBWORMS



CABBAGE WORMS



LEAFMINERS



DAMPING-OFF



DOWNY MILD

SPECIALIST PRODUCTS USE RATE / 16L WATER TANK LOAD

SPECIALIZATION	FOR PRE-PLANT WEED CLEARING	FOR CONTROL OF SLUGS	FOR FARMERS WHO PRACTICE INSECTICIDE TANK-MIXING	FOR LEAF SPOT
RECOMMENDED SPECIALIST	SLASH 16-36* Tbsp	BAYONET	SUMICIDIN 5-8 Tbsp	SAPROL 3-8 Tbsp

*For Talahib